



23-Jun-10

Dear Customer,

Please accept this letter as confirmation that the Substances of Very High Concern (SVHC) as identified by European Chemicals Agency (ECHA) and listed below, are not present in any of Oak-Mitsui's products.

Substance name	EC (CAS No.)	Date of inclusion	Reason for inclusion	Decision number
<b>2,4-Dinitrotoluene</b>	204-450-0	13.01.2010	Carcinogenic (article 57a)	ED/68/2009
<b>4,4'- Diaminodiphenylmethane (MDA)</b>	202-974-4	28.10.2008	Carcinogenic (article 57a)	ED/67/2008
<b>5-tert-butyl-2,4,6-trinitro-m-xylene (musk xylene)</b>	201-329-4	28.10.2008	vPvB (article 57e)	ED/67/2008
<b>Acrylamide</b>	201-173-7	30.03.2010	Carcinogenic and mutagenic (articles 57 a and 57 b)	ED/68/2009
<b>Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins)</b>	287-476-5	28.10.2008	PBT and vPvB (article 57d - e)	ED/67/2008
<p><b>Aluminosilicate Refractory Ceramic Fibres</b>  <i>are fibres covered by index number 650-017-00-8 in Annex VI, part 3, table 3.2 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, and fulfil the two following conditions:</i>                      a) <math>Al_2O_3</math> and <math>SiO_2</math> are present within the following concentration ranges:</p> <p><math>Al_2O_3</math>: 43.5 – 47 % w/w, and <math>SiO_2</math>: 49.5 – 53.5 % w/w,</p> <p>or</p> <p><math>Al_2O_3</math>: 45.5 – 50.5 % w/w, and <math>SiO_2</math>: 48.5 – 54 % w/w,</p> <p>b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (<math>\mu m</math>).</p>	-	13.01.2010	Carcinogenic (article 57a)	ED/68/2009

Substance name	EC (CAS No.)	Date of inclusion	Reason for inclusion	Decision number
Ammonium dichromate	232-143-1	18.06.2010	Carcinogenic, mutagenic and toxic for reproduction (articles 57 a, 57 b and 57 c)	ED/30/2010
Anthracene	204-371-1	28.10.2008	PBT (article 57d)	ED/67/2008
Anthracene oil	292-602-7	13.01.2010	Carcinogenic <sup>1</sup> , PBT and vPvB (articles 57a, 57d and 57e)	ED/68/2009
Anthracene oil, anthracene paste	292-603-2	13.01.2010	Carcinogenic <sup>2</sup> , mutagenic <sup>3</sup> , PBT and vPvB (articles 57a, 57b, 57d and 57e)	ED/68/2009
Anthracene oil, anthracene paste, anthracene fraction	295-275-9	13.01.2010	Carcinogenic <sup>2</sup> , mutagenic <sup>3</sup> , PBT and vPvB (articles 57a, 57b, 57d and 57e)	ED/68/2009
Anthracene oil, anthracene paste, distn. lights	295-278-5	13.01.2010	Carcinogenic <sup>2</sup> , mutagenic <sup>3</sup> , PBT and vPvB (articles 57a, 57b, 57d and 57e)	ED/68/2009
Anthracene oil, anthracene-low	292-604-8	13.01.2010	Carcinogenic <sup>2</sup> , mutagenic <sup>3</sup> , PBT and vPvB (articles 57a, 57b, 57d and 57e)	ED/68/2009
Benzyl butyl phthalate (BBP)	201-622-7	28.10.2008	Toxic for reproduction (article 57c)	ED/67/2008
Bis (2-ethylhexyl)phthalate (DEHP)	204-211-0	28.10.2008	Toxic for reproduction (article 57c)	ED/67/2008
Bis(tributyltin)oxide (TBTO)	200-268-0	28.10.2008	PBT (article 57d)	ED/67/2008
Boric acid	233-139-2 / 234-343-4	18.06.2010	Toxic for reproduction (article 57 c)	ED/30/2010
Cobalt dichloride	231-589-4	28.10.2008	Carcinogenic (article 57a)	ED/67/2008
Diarsenic pentoxide	215-116-9	28.10.2008	Carcinogenic (article 57a)	ED/67/2008
Diarsenic trioxide	215-481-4	28.10.2008	Carcinogenic (article 57a)	ED/67/2008
Dibutyl phthalate (DBP)	201-557-4	28.10.2008	Toxic for reproduction (article 57c)	ED/67/2008
Diisobutyl phthalate	201-553-2	13.01.2010	Toxic for reproduction (article 57c)	ED/68/2009
Disodium tetraborate, anhydrous	215-540-4	18.06.2010	Toxic for reproduction (article 57 c)	ED/30/2010

Substance name	EC (CAS No.)	Date of inclusion	Reason for inclusion	Decision number
<b>Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified:</b>	247-148-4 and 221-695-9	28.10.2008	PBT (article 57d)	ED/67/2008
<b>Alpha-hexabromocyclododecane</b>	(134237-50-6)			
<b>Beta-hexabromocyclododecane</b>	(134237-51-7)			
<b>Gamma-hexabromocyclododecane</b>	(134237-52-8)			
<b>Lead chromate</b>	231-846-0	13.01.2010	Carcinogenic and toxic for reproduction (articles 57a and c)	ED/68/2009
<b>Lead chromate molybdate sulphate red (C.I. Pigment Red 104)</b>	235-759-9	13.01.2010	Carcinogenic and toxic for reproduction (articles 57a and c)	ED/68/2009
<b>Lead hydrogen arsenate</b>	232-064-2	28.10.2008	Carcinogenic and toxic for reproduction (articles 57a and c)	ED/67/2008
<b>Lead sulfochromate yellow (C.I. Pigment Yellow 34)</b>	215-693-7	13.01.2010	Carcinogenic and toxic for reproduction (articles 57a and c)	ED/68/2009
<b>Pitch, coal tar, high temp.</b>	266-028-2	13.01.2010	Carcinogenic, PBT and vPvB (articles 57a, 57d and 57e)	ED/68/2009
<b>Potassium chromate</b>	232-140-5	18.06.2010	Carcinogenic and mutagenic (articles 57 a and 57 b).	ED/30/2010
<b>Potassium dichromate</b>	231-906-6	18.06.2010	Carcinogenic, mutagenic and toxic for reproduction (articles 57 a, 57 b and 57 c)	ED/30/2010
<b>Sodium chromate</b>	231-889-5	18.06.2010	Carcinogenic, mutagenic and toxic for reproduction (articles 57 a, 57 b and 57 c)	ED/30/2010
<b>Sodium dichromate</b>	234-190-3 (7789-12-0 and 10588-01-9)	28.10.2008	Carcinogenic, mutagenic and toxic for reproduction (articles 57a, 57b and 57c)	ED/67/2008
<b>Tetraboron disodium heptaoxide, hydrate</b>	235-541-3	18.06.2010	Toxic for reproduction (article 57 c)	ED/30/2010
<b>Trichloroethylene</b>	201-167-4	18.06.2010	Carcinogenic (article 57 a)	ED/30/2010
<b>Triethyl arsenate</b>	427-700-2	28.10.2008	Carcinogenic (article 57a)	ED/67/2008
<b>Tris(2-chloroethyl)phosphate</b>	204-118-5	13.01.2010	Toxic for reproduction (article 57c)	ED/68/2009

Substance name	EC (CAS No.)	Date of inclusion	Reason for inclusion	Decision number
<p><b>Zirconia Aluminosilicate Refractory Ceramic Fibres</b>  <i>are fibres covered by index number 650-017-00-8 in Annex VI, part 3, table 3.2 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, and fulfil the two following conditions:</i></p> <p><i>a) Al<sub>2</sub>O<sub>3</sub>, SiO<sub>2</sub> and ZrO<sub>2</sub> are present within the following concentration ranges:</i></p> <p><i>Al<sub>2</sub>O<sub>3</sub>: 35 – 36 % w/w, and</i></p> <p><i>SiO<sub>2</sub>: 47.5 – 50 % w/w, and</i></p> <p><i>ZrO<sub>2</sub>: 15 - 17 % w/w,</i></p> <p><i>b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (µm).</i></p>	-	13.01.2010	Carcinogenic (article 57a)	ED/68/2009
<p>1) The substance does not meet the criteria for identification as a carcinogen in situations where it contains less than 0.005 % (w/w) benzo[a]pyrene (EINECS No 200-028-5)</p> <p>2) The substance does not meet the criteria for identification as a carcinogen in situations where it contains less than 0.005 % (w/w) benzo[a]pyrene (EINECS No 200-028-5) and less than 0,1 % w/w benzene (EINECS No 200-753-7).]</p> <p>3) The substance does not meet the criteria for identification as a mutagen in situations where it contains less than 0,1 % w/w benzene (EINECS No 200-753-7).]</p>				

source: [http://echa.europa.eu/chem\\_data/authorisation\\_process/candidate\\_list\\_table\\_en.asp](http://echa.europa.eu/chem_data/authorisation_process/candidate_list_table_en.asp)

Updated on 18/06/2010

Respectfully,



C. Diana Porter Joyner  
 Health, Safety & Environmental Manager  
 Oak-Mitsui Inc.